

(An Autonomous Institution)
Accredited by NAAC and Affiliated to Anna University, Chennai.
ISO 9001-2015 Certified.
Recognised by UGC Under Section 2f & 12B status.
Melathediyoor, Tirunelveli - 627 152.

CRITERION-7

Key Indicator - 7.1 Institutional Values and Social Responsibilities

Metric No- 7.1.2

Environmental Consciousness and Sustainability

Name - The Institution has facilities for alternate sources of energy and energy conservation measures



PRINCIPAL

PSN COLLEGE OF ENGINEERING & TECHNOLOGY
MELATHEDIYOOR, PALAYAMKOTTAI TALUK .
TIRUNELVELI DIST. - 627 152.



(An Autonomous Institution)
Accredited by NAAC and Affiliated to Anna University, Chennai.
ISO 9001-2015 Certified.
Recognised by UGC Under Section 2f & 12B status.
Melathediyoor, Tirunelveli - 627 152.

2. BIOGAS PLANT



all a love till

PRINCIPAL
PSN COLLEGE OF ENGINEERING 8 TECHNOLOGY
MELATHETHY BERLY HURWANNON PRINCIPAL MELATHETHY BERLY HURWANNON PRINCIPAL MELATINE PRINCIPAL DIST. 627 152



(An Autonomous Institution)
Accredited by NAAC and Affiliated to Anna University, Chennai.
ISO 9001-2015 Certified.
Recognised by UGC Under Section 2f & 12B status.
Melathediyoor, Tirunelveli - 627 152.

Key Indicator-7.1 Institutional Values and Social Responsibilities

Metric No 7.1.2. The Institution has facilities for alternate sources of energy conservation measures

2. Biogas Plant

S. No	Content	Page No		
1	Geotagged Photos	2		
2	Bills	4		



PRINCIPAL
PSN COLLEGE OF ENGINEERING & TECHNOLOGY
NELATHEDIYOOR, PALAYAMKOTTAL TALUK
TIRUNELVELI DIST. - 627 152.



(An Autonomous Institution)
Accredited by NAAC and Affiliated to Anna University, Chennai.
ISO 9001-2015 Certified.
Recognised by UGC Under Section 2f & 12B status.
Melathediyoor, Tirunelveli - 627 152.

Biogas plant

In biogas plants, biogas is produced by the fermentation of biomass. This is one of the effective ways to produce methane gas from food waste. In our institution, 1m³ of biogas are installed in the Bharathi hostel from using this facility 1000kg tons of kitchen waste everday. This power source is helpful to boil some water and hot beverages for the mess workers in the time of working.



PRINCIPAL
PRINCI



(An Autonomous Institution)
Accredited by NAAC and Affiliated to Anna University, Chennai.
ISO 9001-2015 Certified.
Recognised by UGC Under Section 2f & 12B status.
Melathediyoor, Tirunelveli - 627 152.



BIOGAS PLANT INSTALLED IN BHARATHI HOSTEL AT PSNCET



PRINCIPAL
PRINCI



(An Autonomous Institution)
Accredited by NAAC and Affiliated to Anna University, Chennai.
ISO 9001-2015 Certified.
Recognised by UGC Under Section 2f & 12B status.
Melathediyoor, Tirunelveli - 627 152.

BILLS



PRINCIPAL

PRINCIPAL

PRINCIPAL

PSN COLLEGE OF ENGINEERING & TECHNOLOGY

PSN COLLEGE OF ENGINEERING & TECHNOLOGY

PSN COLLEGE OF ENGINEERING & TECHNOLOGY

TIRUNELVELI DIST. - 627 152.



(An Autonomous Institution)
Accredited by NAAC and Affiliated to Anna University, Chennai.
ISO 9001-2015 Certified.
Recognised by UGC Under Section 2f & 12B status.
Melathediyoor, Tirunelveli - 627 152.

BILL COPY

Vivekanandap	da Kendra - nordep Trust buram, Kanyakumari - 629 702, Tamilnadu ardep@gmail.com, www.vknardep.org PAN - \$AABTV6100D
	Receipt
No. 1421	Date: 20/04/202)
eceived with thanks from Sri/Sm	t PSN college of Engineering & Technology
Melathidiyur, Tirunel	vela.
	five thousand five hundred only
۱N	by Cash
wards Biogons plant	Leum,
25,500/-	



PRINCIPAL



(An Autonomous Institution)
Accredited by NAAC and Affiliated to Anna University, Chennai.
ISO 9001-2015 Certified.

Recognised by UGC Under Section 2f & 12B status. Melathediyoor, Tirunelveli - 627 152.

BILLS

Cell: 94884 73696 **CASH BILL** 94884 73698 LECTRICALS & PLUMBING 28 A, Ambai - Palai Road, Melaseval - 627 452, TIRUNELVELI Date...I.8 Amount Rate Qty. **Particulars** Ps Rs. 2640 Pipe (Ls 13 T Pipe (4) 505 240 2 195 15 60. 00 10 0 100 10 250 5 20. 2 50.00 5 150-0 5 200 5 310. 9 4720 Total For J.S.R.ELECTRICALS & PLUMBING **GST Included**

PSN COLLEGE OF ENGINEERING & TECHNOLOGY

PSN COLLEGE OF ENGINEERING & TECHNOLOGY

NELATHEDIYOOR, PALAYAMKOTTAI TALUK

TIRUNELVELI DIST. 627 152.



(An Autonomous Institution) Accredited by NAAC and Affiliated to Anna University, Chennai. ISO 9001-2015 Certified. Recognised by UGC Under Section 2f & 12B status. Melathediyoor, Tirunelveli - 627 152.

BILLS

Cell: 94884 73696 **CASH BILL** 94884 73698 **ELECTRICALS & PLUMBING**

28 A, Ambai - Palai Road,

Melaseval - 627 452, TIRUNELVELI

No.	Particulars	Rate	Qty.	Amount Rs.	t Ps
	1" Tel (B)		5	95-	0
	1" Tel (B)		10	150	3
				1	
1	J 1				
		/			
	/				
			Total	245	O
11	ST Included	For J.S.R.E	LECTRICA	ALS & PLUMBING	

PSN COLLEGE OF ENGINEERING & TECHNOLOGY

MELATHEDIYOOR, PALAYAMKOTTAI TALUK TIRUNELVELI DIST. - 627 152.



(An Autonomous Institution)
Accredited by NAAC and Affiliated to Anna University, Chennai.
ISO 9001-2015 Certified.

Recognised by UGC Under Section 2f & 12B status. Melathediyoor, Tirunelveli - 627 152.

BILLS

603E1Z4 CASH BILL

Cell: 94884 73696 94884 73698

ELECTRICALS & PLUMBING

28 A, Ambai - Palai Road,

Melaseval - 627 452, TIRUNELVELI

Date 16 12 21

PSN collège

TIRUNELVELI DISTRICT 627 152 *MELATHEDINGO

No.	Particulars	Rate	Qty.	Amoun Rs.	t Ps.
1 8	T Pipe (5	(A)	14	4760.	0
1	S.T Pipe (5		n	2640	8
	Il value pre		15	825	00
	tee 16		18	342	α
20	Mos (p		8	112	α
11	oupler (#)		15	135-	\propto
	m Tin		3	360	œ
	Tel (B		5	240	00
11/2	, Redien		5	100	0
120	zlade		4	40	0
	pedwier (3	2	250	
3/	ball rake a	4	Total	983	FC
GST Include		For J.S.R.E	LECTRICA	LS & PLUMBING	

mon my

PRINCIPAL

PSN COLLEGE OF ENGINEERING & TECHNOLOGY

MELATHEDIYOOR, PALAYAMKOTTAI TALUK

TIRUNELVELI DIST. - 627 152.



(An Autonomous Institution)

Accredited by NAAC and Affiliated to Anna University, Chennai. ISO 9001-2015 Certified.

Recognised by UGC Under Section 2f & 12B status. Melathediyoor, Tirunelveli - 627 152.

BILLS

J3E1Z4 CASH BILL

Cell: 94884 73696 94884 73698

ELECTRICALS & PLUMBING

28 A, Ambai - Palai Road,

Melaseval - 627 452, TIRUNELVELI

Date 16 19 21

PSN college

No.	Particulars	Rate	Qty.		Ps.
12	Ball value ac		7	385	00
34	Ball value pr		17	850.	0
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Tee 18		10	130	00
11	g Reduser in		25	375	0
	S. T. Pipe (4s		4	960	
1	PTO (B)		50	400.	0
			Total	3100.	8
GST Inclu	ided : olett again	For J.S.R.E	LECTRICA	LS & PLUMBING	

Hor

PRINCIPAL
PRINCIPAL
PRINCIPAL
PRINCIPAL
PRINCIPAL
PRINCIPAL
TECHNOLOGY
PRINCIPAL
TECHNOLOGY
PRINCIPAL
TECHNOLOGY
TECHNOLO