



अखिल भारतीय तकनीकी शिक्षा परिषद्
ALL INDIA COUNCIL FOR TECHNICAL EDUCATION
(भारत सरकार का एक सांविधिक निकाय) (A STATUTORY BODY OF THE GOVT. OF INDIA)

Revised Letter

F. No. 732-52-396(E)/ET/2001
24th October, 2007

To,
The Principal Secretary
(Education Department)
Govt. of TAMIL NADU,
Secretariat, Fort St. George,
Chennai-600 009.

Sub:- AICTE Approval for extension/ increase / Variation in intake / introduction of additional courses to PSN COLLEGE OF ENGINEERING & TECHNOLOGY, MELATHEDIYOOR P.O., PALAYAMKOTTAI TALUK, TIRUNELVELI DISTRICT - 627 152 - reg.

Ref: Letter of even no Dated 22/05/2007

Sir,

In continuation to Council's letter referred above, the Revised Intake in respect of PSN COLLEGE OF ENGINEERING & TECHNOLOGY, MELATHEDIYOOR P.O., PALAYAMKOTTAI TALUK, TIRUNELVELI DISTRICT - 627 152 is as under:-

Name of the Course (s)	Existing Intake 2007-08	Revised Intake*
AERONAUTICAL ENGINEERING	90	90
COMPUTER SCIENCE & ENGG.	90	90
ELECTRICAL & ELECTRONICS ENGG.	60	60
ELECTRONICS & COMM. ENGG.	90	90
INFORMATION TECHNOLOGY	30	30
MARINE ENGINEERING	60	60
MBA	60	60
MCA	00	60#
M.E. APPLIED ELECTRONICS	00	18*
M.TECH. INFORMATION TECHNOLOGY	00	18*
Total	480	576

Note: * The approval for additional course (s)/ increase in intake/ variation in intake is valid for two years from the date of issue of this letter for getting affiliation with respective university and fulfilling State Government requirements of admission.

#The Institution is required to submit a joint FDR of Rs. 15 Lakhs for the above sanctioned additional course of MBA/MCA by 15th November 2007 to the concerned Regional Office.

The additional intake is being granted based on the projections shown in the Detailed Project Report regarding additional built up space, faculty and other facilities for the proposed intake. It may be noted that all facilities including additional built area and faculty should be made available before the commencement of the next academic session. Random surprise inspection would be carried out to verify facilities and if the institute is found deficient in fulfillment of Norms & Standards of AICTE, appropriate action would be initiated by the Council.

Please note that all other terms & conditions of the earlier letter referred above will remain unchanged.

Yours faithfully,

(Prof. Harish C. Rai)
Adviser- UG/PG (E&T)

इंदिरा गांधी खेल परिसर, इन्द्रप्रस्थ एस्टेट, नई दिल्ली - 110002

Indira Gandhi Sports Complex, I. P. Estate, New Delhi-110 002

दूरभाष / Phone : 23392506, 63-65-68, 71, 73-75 फैक्स / Fax : 011-23392554

वैबसाइट / Website : www.aicte.ernet.in

Copy to:-

1. ✓ PSN COLLEGE OF ENGINEERING & TECHNOLOGY
MELATHEDIYOOR P.O., PALAYAMKOTTAI TALUK,
TIRUNELVELI DISTRICT - 627 152
2. The Regional Officer,
AICTE Southern Regional Office, 26, Haddows Road,
Shastri Bhawan, Chennai - 600 006
3. Director of Technical Education,
Govt. of TAMIL NADU, Chennai-600 025.
4. The Registrar, Anna University,
Sardar Patel Road, Guindy, Chennai-600 025.
5. Guard File (UG/PG).

Yours faithfully,



(Prof. Harish C. Rai)
Adviser- UG/PG (E&T)

JB